


DATE	REVISION

SPECIAL EXCEPTION PLAT/ PROFFER CONDITION AMENDMENT PLAT MERRIFALLS AUTO CARE SERVICE

PROVIDENCE DISTRICT
FAIRFAX COUNTY, VIRGINIA



VICINITY MAP
SCALE: 1" = 2000'

SHEET INDEX


1. COVER SHEET
2. NOTES & TABULATIONS
3. EXISTING CONDITIONS PLAN
4. EXISTING VEGETATION MAP AND TREE CONSERVATION PLAN
5. SPECIAL EXCEPTION PLAT/
PROFFER CONDITION AMENDMENT PLAT
6. LANDSCAPE PLAN
7. BMP & SWM COMPUTATIONS
8. CONCEPTUAL ELEVATIONS

DATE OF FIRST SUBMISSION: June 29, 2009
DATE OF SECOND SUBMISSION: November 4, 2009
DATE OF THIRD SUBMISSION: November 30, 2009
(Revisions to Pages 1, 2, 4, 5, 6 and 7 based on Fairfax County comments received at Review Meeting on November 16, 2009.)

Concurrent w/ PCA 91-P-027
Application No. SE 2009-PR-021 Staff W.O.D.
APPROVED DEVELOPMENT PLAN
(DP) (GDP) (CDP) (FDP) (SE) (SP)
See proffers dated 3/3/2010 : SE cond dated 2/22/2010
Date of (BOS) (PC) approval 3/9/2010

Sheet 1 of 8


APPLICANT/DEVELOPER
JSH ENTERPRISE, LLC
8138 RIDGE CREEK WAY
SPRINGFIELD, VA
22153



PREPARED BY:

christopher consultants
engineering · surveying · land planning

9900 main street (fourth floor) · fairfax, va 22031-3907
703.273.6820 · fax 703.273.7636



RECEIVED
Department of Planning & Zoning
NOV 25 2009
Zoning Evaluation Division

1 of 8

C-5830

DATE	REVISION
11.04.09	Revisions to Special Exception Plat/Proffer Condition Amendment based on Fairfax County Pre-Staffing Comments October 13, 2009
11.30.09	Revisions to Special Exception Plat/Proffer Condition Amendment based on Fairfax County comments received at Review Meeting on November 16, 2009


GENERAL NOTES

- THE SUBJECT PROPERTY IS IDENTIFIED ON THE FAIRFAX COUNTY ASSESSMENT MAP AS 49-2 ((1)) PARCEL 93.
- FOR THE PURPOSES OF THIS APPLICATION, THE TOTAL SITE AREA OF THE PROPERTY IS 20,900 SQUARE FEET OR 0.4748 ACRES, BASED ON A BOUNDARY SURVEY COMPLETED BY christopher consultants Ltd., DATED JULY 2006. THE REAL ESTATE DIVISION OF THE FAIRFAX COUNTY DEPARTMENT OF TAX ADMINISTRATION LISTS THE AREA OF THIS PROPERTY WITHIN THEIR TAX RECORDS AS 20,901 SQUARE FEET.
- THE OWNER OF THE PROPERTY IS REESE MERRIFALLS TWO LLC, 6916 PACIFIC LANE, ANNANDALE, VA 22033, DEED BOOK 18810, PAGE 1936. THE APPLICANT/DEVELOPER OF THE PROPERTY IS JSH ENTERPRISE, LLC, 8138 RIDGE CREEK WAY, SPRINGFIELD, VA 22153.
- THE EXISTING AND PROPOSED ZONING OF THE SUBJECT PROPERTY IS C-8 (HIGHWAY COMMERCIAL), HIGHWAY CORRIDOR OVERLAY DISTRICT (HCOD).
- THIS SUBMISSION IS AN APPLICATION FOR A CATEGORY 5 SPECIAL EXCEPTION AND A PROFFER CONDITION AMENDMENT TO PERMIT A VEHICLE LIGHT SERVICE ESTABLISHMENT. THE TOTAL PROPOSED GROSS FLOOR AREA IS +/- 5,590 SF AND THE PROPOSED FAR IS +/- 0.27.
- THE BOUNDARY SURVEY IS BASED ON A CURRENT FIELD SURVEY COMPLETED BY christopher consultants Ltd., DATED JULY, 2006.
- TOPOGRAPHIC INFORMATION IS FROM A FIELD RUN TOPOGRAPHIC SURVEY BY christopher consultants, Ltd., DATED JUNE 19, 2009. THE CONTOUR INTERVAL IS ONE (1) FOOT.
- THE PROPERTY SHOWN HEREON IS LOCATED ON F.E.M.A. MAP COMMUNITY PANEL NUMBER 515525 0079 D, DATED MARCH 5, 1990, ZONE "X", AREAS DETERMINED TO BE OUTSIDE 500-YEAR FLOODPLAIN.
- NO TITLE REPORT IS FURNISHED.
- THE SUBJECT PROPERTY IS LOCATED IN THE PROVIDENCE DISTRICT AND THE CAMERON RUN WATERSHED OF FAIRFAX COUNTY, VA. REFER TO SHEET 7 FOR INFORMATION AND NARRATIVES FOR STORM WATER MANAGMENT (SWM), BEST MANAGEMENT PRACTICES (BMP) AND SITE OUTFALL.
- THE SUBJECT PROPERTY IS CURRENTLY SERVED BY PUBLIC WATER PROVIDED BY THE CITY OF FALLS CHURCH AND PUBLIC SEWER PROVIDED BY FAIRFAX COUNTY.
- TO THE BEST KNOWLEDGE OF THE ENGINEER AND DEVELOPER, THERE ARE NO EXISTING GRAVES OR BURIAL SITES LOCATED ON THE PROPERTY.
- NO ADVERSE EFFECTS TO NEIGHBORING PROPERTIES ARE ANTICIPATED WITH THIS PROJECT.
- THERE ARE NO SCENIC ASSETS OR NATURAL FEATURES DESERVING OF PROTECTION OR PRESERVATION ON THE SUBJECT PROPERTY.
- TO THE BEST KNOWLEDGE OF THE ENGINEER AND DEVELOPER, THIS SPECIAL EXCEPTION PLAT AND PROFFER CONDITION AMENDMENT PLAT CONFORMS TO ALL APPLICABLE ORDINANCES, REGULATIONS AND ADOPTED STANDARDS, INCLUDING THE ADOPTED COMPREHENSIVE PLAN FOR THE COUNTY, UNLESS OTHERWISE SPECIFICALLY NOTED.
- NOTWITHSTANDING THE IMPROVEMENTS AND TABULATIONS SHOWN ON THIS PLAN, THE APPLICANT RESERVES THE RIGHT TO MAKE MODIFICATIONS TO THE FINAL DESIGN TO COMPLY WITH FINAL ENGINEERING AND NEW CRITERIA AND REGULATIONS WHICH MAY BE ADOPTED BY FAIRFAX COUNTY SUBSEQUENT TO THE SUBMISSION OF THIS APPLICATION, PROVIDED THAT SUCH MODIFICATIONS ARE CONSISTENT WITH THE APPROVED SPECIAL EXCEPTION PLAT/PROFFER CONDITION AMENDMENT PLAT.
- SITE IMPROVEMENTS SHOWN HEREIN ARE PRELIMINARY. FINAL SITE IMPROVEMENTS WILL BE CONFIGURED AT THE TIME OF SITE PLAN APPROVAL, SUBJECT TO MARKET CONDITIONS, BUT CONSISTENT WITH THE APPROVED SPECIAL EXCEPTION AMENDMENT PLAT/PROFFER CONDITION AMENDMENT PLAT.
- THERE ARE NO EXISTING UTILITY EASEMENTS HAVING A WIDTH OF GREATER THAN 25 FEET ON THE PROPERTY. ALL MAJOR UNDERGROUND UTILITY EASEMENTS, REGARDLESS OF WIDTH, ARE SHOWN ON THE EXISTING CONDITIONS PLAN.
- A BIKE RACK WILL BE PROPOSED ON THE PROPERTY, AS SHOWN ON THE PLAN.
- SOME ADDITIONAL TREE PLANTINGS, INCLUDING A PICNIC TABLE AND/OR BENCH, WILL BE PROVIDED OFFSITE ALONG THE WESTERN PROPERTY LINE, AS SHOWN ON THE PLAN.
- OFFSITE EASEMENT WILL BE REQUIRED FOR GRADING, TREE PLANTING, TREE REMOVAL AND FOR SANITARY SEWER LATERAL CONNECTION.

WAIVERS AND MODIFICATIONS

- A WAIVER IS BEING REQUESTED FOR THE REQUIREMENT TO PROVIDE A 'MAJOR PAVED TRAIL' (ASPHALT OR CONCRETE THAT IS 8' OR MORE IN WIDTH) AS SHOWN ON THE FAIRFAX COUNTY COMPREHENSIVE PLAN COUNTYWIDE TRAILS PLAN (6.17.02) ALONG THE NORTH SIDE OF THE ROUTE 29/LEE HIGHWAY SERVICE DRIVE. THE APPLICANT HAS INSTEAD AGREED WITH FAIRFAX COUNTY TO PROVIDE A 3 FOOT RESERVATION OF RIGHT-OF-WAY ALONG THE SOUTHERN PROPERTY LINE/NORTH SIDE OF THE ROUTE 29/LEE HIGHWAY SERVICE DRIVE. THERE IS ALSO AN EXISTING SIDEWALK ALONG THE SERVICE DRIVE.
- A WAIVER IS BEING REQUESTED FOR THE TRANSITIONAL SCREENING AND BARRIER REQUIREMENT (19-300) BETWEEN THE PROPOSED USE AND THE PROPERTY ACROSS LEE HIGHWAY. NOT ONLY IS THE PROPOSED USE SEPARATED BY A 4-LAND DIVIDED ROADWAY, BUT AN 8 TO 10 FOOT SOLID WALL EXISTS BETWEEN THE ROADWAY AND THE RESIDENTIAL HOUSING ACROSS THE STREET.
- MODIFICATIONS ARE BEING REQUESTED FOR THE MINIMUM LOT AREA REQUIREMENT OF 40,000 SF. (4-806.1) AND MINIMUM LOT WIDTH REQUIREMENT OF 200 FEET (4-806.2) WITHIN THE C-8 ZONING DISTRICT. WHILE THIS PROPERTY (PARCEL 93) WAS COMBINED WITH PARCEL 92A AND REZONED TO C-8 (RZ-91-P-027) AND APPROVED ON 5.4.92, FAIRFAX COUNTY HAS AGREED THAT THE APPLICATION FOR THIS SPECIAL EXCEPTION / PROFFER CONDITION AMENDMENT WILL ONLY HAVE TO INCLUDE PARCEL 93, WHICH DOES NOT MEET THESE STANDARDS.

ANGLE OF BULK PLANE DETAIL



FRONT YARD: $\geq 45^\circ$ BUT NOT LESS THAN 40'
SIDE YARD: NO REQUIREMENT
REAR YARD: 20 FEET

ZONING TABULATION C-8 HIGHWAY COMMERCIAL DISTRICT, HCOD CATEGORY 5 SPECIAL EXCEPTION		
SUBJECT PROPERTY IDENTIFIED AS:		
PARCEL NUMBER	EXISTING ZONING	ACREAGE
49-2-((1))-93	C-8 (HCOD)	± 0.48 AC.
ZONING REGULATIONS:		
C-8 HIGHWAY COMMERCIAL DISTRICT, HCOD		
MINIMUM LOT AREA: 40,000 SF		
MINIMUM LOT WIDTH: 200 FEET		
MAXIMUM BUILDING HEIGHT: 40 FEET		
MINIMUM YARD REQUIREMENTS:		
FRONT YARD: 45° ANGLE OF BULK PLANE, BUT NOT LESS THAN 40'		
SIDE YARD: NO REQUIREMENT		
REAR YARD: 20'		
MAXIMUM FLOOR AREA RATIO: 0.50		
OPEN SPACE: 15% REQUIRED		
TREE COVER: 10% REQUIRED		
INTERIOR PARKING LOT LANDSCAPING: NO REQUIREMENT (SINCE PARKING LOT HAS LESS THAN 20 TOTAL SPACES)		
PERIPHERAL PARKING LOT LANDSCAPING: NO REQUIREMENT (SINCE PARKING LOT HAS LESS THAN 20 TOTAL SPACES)		



PROPOSED DEVELOPMENT TABULATIONS	
DEVELOPMENT STANDARDS	DEVELOPMENT TABULATIONS
TOTAL GROSS FLOOR AREA	+/- 5,590 SF
FLOOR AREA RATIO	+/- 0.27
MAXIMUM BUILDING HEIGHT	+/- 32'
OPEN SPACE	+/- 20.8 % +/- 4,350 SF
TREE COVER	* ON SITE: +/- 10.0 % +/- 2,100 SF
* AN ADDITIONAL TEN OFFSITE TREES (+/- 1,100 SF) ARE PROPOSED ALONG THE NORTH AND NORTHWEST PROPERTY BOUNDARY	

PARKING TABULATION FOR PROPERTY	
PARKING SPACES REQUIRED : * 2 SPACES PER SERVICE BAY ** 1 SPACE PER EMPLOYEE *** 1 SPACE PER 200 SQUARE FEET OF NET FLOOR AREA	
PARKING SPACES PROVIDED : 18 SPACES (INCLUDES 2 HANDICAP SPACES, 1 IS VAN ACCESSIBLE, AND INCLUDES 2 EMPLOYEE DESIGNATED SPACES)	
LOADING SPACES REQUIRED : 1 SPACE PER FIRST 10,000 SF OF GROSS FLOOR AREA	
LOADING SPACES PROVIDED : 1 SPACE	
* THERE WILL BE A MAXIMUM OF 5 SERVICE BAYS	
** THERE WILL BE A MAXIMUM OF 6 EMPLOYEES	
*** AFTER SUBTRACTING OUT THE AREAS FOR THE SERVICE BAYS, THERE WILL BE A MAXIMUM OF 400 SQUARE FEET REMAINING OF NET FLOOR AREA	

Concurrent w/ PCA 91-P-027
Application No. SE 2009-PR-021 Staff W.O.D.
APPROVED DEVELOPMENT PLAN
(DP) (GDP) (CDP) (FDPS) (SE) (SP)
See proffers dated 3/3/2010 : SE cond dated 2/22/2010
Date of ((BOS)) (PC) approval 3/9/2010

Sheet 2 of 8


christopher consultants
engineering · surveying · land planning
9800 main street (fourth floor) Fairfax va. 22031-3907
703.273.6820 fax 703.273.7686



NOTES &
TABULATIONS

SPECIAL EXCEPTION PLAT/
PROFFER CONDITION AMENDMENT PLAT
MERRIFALLS AUTO
CARE SERVICE
FAIRFAX COUNTY, VIRGINIA

PROJECT No: 04D804
SCALE:
AS SHOWN
DATE:
06-29-09
DESIGN: JR/MA
DRAWN: TT
CHECKED:
SHEET No.



DATE	REVISION
11.04.09	Revisions to Special Exception Plat/Proffer Condition Amendment based on Fairfax County Pre-Staffing Comments October 13, 2009
11.30.09	Revisions to Special Exception Plat/Proffer Condition Amendment based on Fairfax County comments received at Review Meeting on November 16, 2009



christopher consultants
engineering · surveying · land planning
9900 main street (fourth floor) Fairfax va. 22031-3907
703.273.6620 fax 703.273.7636

COMMONWEALTH OF VIRGINIA
WILLIAM R. ZINK
No. 21914
11-50-08
PROFESSIONAL ENGINEER


EXISTING CONDITIONS
PLAN

SPECIAL EXCEPTION PLAT/
PROFFER CONDITION AMENDMENT PLAT
**MERRIFALLS AUTO
CARE SERVICE**
FAIRFAX COUNTY, VIRGINIA

PROJECT NO: 04D804
SCALE: 1"=10'
DATE: 06-29-09
DESIGN: JR/MA
DRAWN: TET
CHECKED:
SHEET No.

3 OF 8
C-5830


Concurrent w/ PCA 91-P-027
Application No. SE 2009-PR-021 Staff W.O.D.
APPROVED DEVELOPMENT PLAN
(DP) (GDP) (CDP) (FDP) (SE) (SP)
See proffers dated 3/3/2010; SE cond dated 2/22/2010
Date of (BOS) (PC) approval 3/9/2010
Sheet 3 of 8



DATE	REVISION
11.04.09	Revisions to Special Exception Plat/Proffer Condition Amendment based on Fairfax County Pre-Staffing Comments October 13, 2009
11.30.09	Revisions to Special Exception Plat/Proffer Condition Amendment based on Fairfax County comments received at Review Meeting on November 16, 2009



christopher consultants
engineering · surveying · land planning
9900 main street (fourth floor) · Fairfax va. 22031-3907
703.273.6820 · fax 703.273.7636




**EXISTING VEGETATION
MAP AND TREE
CONSERVATION PLAN**

**SPECIAL EXCEPTION PLAT/
PROFFER CONDITION AMENDMENT PLAT
MERRIFALLS AUTO
CARE SERVICE
FAIRFAX COUNTY, VIRGINIA**



PROJECT NO: 04D804
SCALE: 1"=10'
DATE: 06-29-09
DESIGN: JR/MA
DRAWN: TET
CHECKED:
SHEET No.

4 of 8

C-5830



christopher consultants
engineering · surveying · land planning
9900 main street (fourth floor) fairfax va. 22031-3907
703.273.6820 fax 703.273.7636



**SPECIAL EXCEPTION
PLAT / PROFFER
CONDITION
AMENDMENT PLAT**

**SPECIAL EXCEPTION PLAT/
PROFFER CONDITION AMENDMENT PLAT**
**MERRIFALLS AUTO
CARE SERVICE**
FAIRFAX COUNTY, VIRGINIA

PROJECT NO: 04DB04
SCALE: 1"=10'
DATE: 06-29-09
DESIGN: JR/1A
DRAWN: TET
CHECKED:
SHEET No.

T.M.#049-2-01-0094
CURRENT OWNER: COAKLEY LEE HIGHWAY L.P.
DB. 7673 PG.503
ZONED: C-8

VIRGINIA COORDINATE SYSTEM
OF 1927, NORTH ZONE

PROPOSED RETAINING WALL (+/- 3')

PROPOSED BUILDING
+/- 5,590 SF
MAXIMUM HEIGHT: +/- 32'

PARCEL 2
T.M.#049-2-01-0093
20,900 SQ. FT.
0.4788 ACRES
EXISTING ZONING: C-8
PROPOSED ZONING: C-8

5 SERVICE BAYS

5' S/W

5' S/W

5' PEDESTRIAN CROSSWALK FOR PEDESTRIAN ACCESS TO SHOPPING CENTER

PROPOSED BIKE RACK LOCATION (5'x5')

PROPOSED PICNIC TABLE &/OR BENCH LOCATION (OFFSITE)

PROPOSED INGRESS / EGRESS

EXISTING SERVICE DRIVE

3' ROW RESERVATION FOR FAIRFAX COUNTY

3' ROW RESERVATION FOR FAIRFAX COUNTY

POSSIBLE LOCATION OF PROPOSED SIGN

POSSIBLE LOCATION OF PROPOSED SIGN

POSSIBLE FUTURE PARCEL CONNECTION

LOADING SPACE 25'x15'

DUMPSTER

SWIM/BMP LOCATION (RAIN GARDEN)


LIMITS OF CLEARING AND GRADING

LIMITS OF CLEARING AND GRADING

LEGEND

Diagram illustrating three categories of deciduous trees, each represented by a circle with a cross inside, and their corresponding proposed category and square foot (SF) value:

- Category IV: PROPOSED CATEGORY IV DECIDUOUS (250 SF)
- Category III: PROPOSED CATEGORY III DECIDUOUS (175 SF)
- Category II: PROPOSED CATEGORY II DECIDUOUS (125 SF)



- : PROPOSED CATEGORY 1 DECIDUOUS (75 SF)
- : PROPOSED CATEGORY 1 EVERGREEN (75 SF)
- : PROPOSED OFF SITE TREES
- : EXISTING OFF SITE TREES TO BE PRESERVED

ALL CONSTRUCTION SHALL CONFORM TO THE CURRENT
FAIRFAX COUNTY AND VIRGINIA DEPARTMENT OF
TRANSPORTATION STANDARDS AND SPECIFICATIONS.

3 OF 8

C-5830

BMP CALCULATIONS

PLAN NAME: MERRIFALLS AUTO CARE SERVICE DATE: 06/24/09

ENGINEER: ERIC JACKSON

1. WATER QUALITY NARRATIVE:

BMP - CHESAPEAKE BAY PRESERVATION AREA

FAIRFAX COUNTY REQUIREMENT - 40%

DEVICE	EFFICIENCY PERCENTAGE
BIORETENTION	65%

ROOF AREA = 0.1283 ACRES

2. WATERSHED INFORMATION:

SUBAREA DESIGNATION AND DESCRIPTION "C" ACRES

BUILDING	0.90	0.1283
PAVEMENT / SIDEWALK	0.90	0.2528
BIORETENTION	0.35	0.0298
GRASS AREA	0.35	0.0693
OFFSITE AREA - GRASS	0.35	0.1075

3. WEIGHTED AVERAGE "C" FACTOR FOR THE SITE

AREA OF THE SITE 0.48 ACRES

SUBAREA DESIGNATION "C" ACRES PRODUCT

BUILDING	0.90	0.1283	0.1154
PAVEMENT	0.90	0.2528	0.2275
BIORETENTION	0.35	0.0298	0.1004
GRASS AREA	0.35	0.0693	0.0243

TOTAL = 0.3776

AVERAGE "C" FACTOR FOR SITE 0.3776/0.48 = 0.77

4. PHOSPHORUS REMOVAL FOR THE SITE

NOTE: ONLY THE IMPERVIOUS ROOF AREA OF 5600 SQUARE FEET IS BEING TREATED BY THE BIORETENTION FILTER

SUBAREA BMP TYPE REMOVAL EFF. AREA "C" PRODUCT

BIORETENTION	65%	(0.0408/0.48)	(0.455)	= 2.51
BIORETENTION	65%	(0.0492/0.48)	(1.169)	= 7.75
BIORETENTION	65%	(0.1283/0.48)	(1.169)	= 20.29
BMP-INSERT	30%	(0.0749/0.48)	(1.169)	= 5.47
BMP-INSERT	30%	(0.0352/0.48)	(1.169)	= 2.56
BMP-INSERT	30%	(0.0363/0.48)	(1.169)	= 2.67
BIORETENTION (OFFSITE)	65% <u>20</u>	(0.0091/0.48)	(0.455)	= 0.10

TOTAL = 41.3%

5. COMPLIANCE WITH PHOSPHORUS REMOVAL REQUIREMENT

REQUIRED PHOSPHORUS REMOVAL FOR HOLMES RUN WATERSHED = 40%
PHOSPHORUS REMOVED FROM ABOVE = 41.3%

STORMWATER RUNOFF CALCULATIONS

NOTE: THE AREA OF THE SITE IS 20,900 SQ.FT. (0.48 AC.) AND IS BEING USED TO DETERMINE THE INCREASE IN THE 10-YEAR STORM RUNOFF.

PRE-DEVELOPMENT

AREA = 0.48 AC TC = 5 MIN.

$I_2 = 5.45"/HR$
 $I_{10} = 7.27"/HR$

C = 0.35

$Q_2 = (0.35) (5.45) (0.48) = 0.92 CFS$
 $Q_{10} = (0.35) (7.27) (0.48) = 1.22 CFS$

POST-DEVELOPMENT

AREA = 0.48 AC TC = 5 MIN.

$I_2 = 5.45"/HR$
 $I_{10} = 7.27"/HR$

C = 0.77

$Q_2 = (0.77) (5.45) (0.48) = 2.01 CFS$
 $Q_{10} = (0.77) (7.27) (0.48) = 2.69 CFS$

10-YEAR STORM RUNOFF DIFFERENCE = 2.69 - 1.22 = 1.47 CFS

MINIMUM STORMWATER INFORMATION FOR REZONING, SPECIAL EXCEPTION, SPECIAL PERMIT AND DEVELOPMENT PLAN APPLICATIONS

The following information is required to be shown or provided in all zoning applications, or a waiver request of the submission requirement with justification shall be attached. Note: Waivers will be acted upon separately. Failure to adequately address the required submission information may result in a delay in processing this application.

This information is required under the following Zoning Ordinance paragraphs:

Special Permits (8-011 2J & 2L) Special Exceptions (8-011 2J & 2L)
Cluster Subdivision (8-615 1G & 1N) Commercial Revitalization Districts (8-622 2A (12) & (14))
Development Plans PRC District (18-302 3 & 4L) PRC Plan (18-303 1E & 1O)
FDP P Districts (except PRC) (18-502 1F & 1Q) Amendments (18-202 10F & 10I)

1. Plat is at a minimum scale of 1"=50' (unless it is depicted on one sheet with a minimum scale of 1"=100').

2. A graphic depicting the stormwater management facility(ies) and limits of clearing and grading accommodate the stormwater management facility(ies), storm drainage pipe systems and outlet protection, pond spillways, access roads, site outfalls, energy dissipation devices, and stream stabilization measures as shown on Sheet 5 & 7

3. Provide:	Facility Name/Type & No.	On-site area served (acres)	Off-site area served (acres)	Drainage area (acres)	Footprint area (sf)	Storage Volume (cf)	If pond, dam height (ft)
UNDERGROUND PIPE STORAGE		0.1283	0.0493	2944	N/A	6000	N/A
Totals							

4. Onsite drainage channels, outfalls and pipe systems are shown on Sheet 3, 5 & 7

Pond inlet and outlet pipe systems are shown on Sheet N/A

5. Maintenance access (road) to stormwater management facility(ies) are shown on Sheet N/A

Type of maintenance access road surface noted on the plat is N/A (asphalt, geoblock, gravel, etc.)

6. Landscaping and tree preservation shown in and near the stormwater management facility is shown on Sheet 6

7. A 'stormwater management narrative' which contains a description of how detention and best management practices requirements will be met is provided on Sheet 7

8. A description of the existing conditions of each numbered site outfall extended downstream from the site to a point which is at least 100 times the site area or which has a drainage area of at least one square mile (640 acres) is provided on Sheet 7

9. A description of how the outfall requirements, including contributing drainage areas of the Public Facilities Manual will be satisfied is provided on Sheet 7

10. Existing topography with maximum contour intervals of two (2) feet and a note as to whether it is an air survey or field run is provided on Sheets 2, 3, 5 & 6

11. A submission waiver is requested for PARTIAL STORMWATER MANAGEMENT

12. Stormwater management is not required because

4A PARTIAL WAIVER OF THE STORM WATER MANAGEMENT REQUIREMENTS MAY BE NECESSARY IF THE ENTIRE INCREASE IN THE 10-YEAR STORM RUNOFF CANNOT BE CAPTURED AND DETAINED IN THE PROPOSED ONSITE SYSTEMS.

SWM/BMP NARRATIVE

THE MERRIFALLS AUTO CARE SERVICE SITE IS CURRENTLY SITUATED ON 0.48 ACRES OF LAND IN THE PROVIDENCE DISTRICT OF FAIRFAX COUNTY ON THE NORTH SIDE OF LEE HIGHWAY BETWEEN MARY STREET AND MYSON LANE. THE EXISTING SITE CONDITIONS CONSIST OF AN OPEN GRASSY AREA WITH SOME EXISTING TREES ALONG THE EASTERN BOUNDARY. THE SITE DRAINS TO THE SOUTHEAST TO AN EXISTING PIPED SYSTEM WHICH CONVEYS THE RUNOFF APPROXIMATELY 440 FEET TO AN UN-NAMED TRIBUTARY OF HOLMES RUN WHICH FLOWS TO A REGIONAL FACILITY, FAIRVIEW LAKE, IN THE CAMERON RUN WATERSHED. NO RPA AREAS OR 100 YEAR FLOODPLAIN AREAS EXIST ONSITE. THIS PROJECT PROPOSES A 5600 SQUARE FEET AUTO SERVICE BUILDING WITH ASPHALT PAVEMENT FOR PARKING SPACES AND ACCESS NEAR THE WESTERN AND NORTHERN BOUNDARIES. CURRENTLY THE EXISTING SITE CONTAINS NO PAVED AREAS OR STRUCTURES. IMPERVIOUSNESS OF THE SITE AFTER THE PROPOSED BUILDING AND ASPHALT PAVEMENT WILL BE 10.38 ACRES OR 174%.

BIORETENTION

A BIORETENTION FILTER OR RAINGARDEN FACILITY IS PROPOSED TO MEET BMP REQUIREMENTS FOR THE SITE. THE BIORETENTION FILTER WILL RECEIVE RUNOFF FROM THE 5600 SQUARE FEET ROOF AREA OF THE PROPOSED AUTO SERVICE BUILDING AND A PORTION OF THE ASPHALT PARKING AREA. THE FILTER WILL BE SIZED TO ACCOMMODATE THE FIRST 1.0 INCH OF RUNOFF AND WILL HAVE A FILTER SURFACE AREA EQUAL TO OR GREATER THAN 5% OF THE IMPERVIOUS AREA OR 280 SQUARE FEET MINIMUM. GRASS SHALES WILL BE PROVIDED BELOW THE ROOF DRAIN COLLECTOR AND THE CURB OPENING FROM THE PARKING AREA TO REDUCE THE VELOCITY OF THE RUNOFF ENTERING THE BIORETENTION FILTER. MAINTENANCE OF THE BIORETENTION FILTER WILL BE THE RESPONSIBILITY OF THE OWNER AND SHALL BE PERFORMED IN ACCORDANCE WITH THE REQUIREMENTS OF THE VIRGINIA STORMWATER MANAGEMENT HANDBOOK AND THE FAIRFAX COUNTY PUBLIC FACILITIES MANUAL. VORTECH TRITON CATCH BASIN INSERTS OR ADS STORM WATER QUALITY UNITS WITH NYLOPLAST INLETS OR OTHER COUNTY APPROVED INNOVATIVE BMP SYSTEM COMPATIBLE WITH A HDPE/CMP/PVC PRIVATE STORM DRAIN SYSTEM WILL BE USED IN THE STORM STRUCTURES THAT CAPTURE RUNOFF FROM THE REMAINING PARKING AREAS.

UNDERGROUND DETENTION



AN UNDERGROUND PIPED SYSTEM IS PROPOSED TO MEET STORM WATER MANAGEMENT REQUIREMENTS FOR THE SITE. A SERIES OF GRATE INLETS WILL COLLECT RUNOFF FROM THE PAVED AREAS OF THE SITE. A FLOW SPLITTER STRUCTURE WILL DIVERT STORM WATER IN EXCESS OF PREDEVELOPED RATES TO A PIPE STORAGE SYSTEM. THE PIPED SYSTEM WILL BE SIZED TO ACCOMMODATE RUNOFF VOLUME FROM A 10 YEAR STORM EVENT ESTIMATED TO BE APPROXIMATELY 6000 CUBIC FEET. MAINTENANCE OF THE UNDERGROUND PIPED STORMWATER MANAGEMENT SYSTEM WILL BE THE RESPONSIBILITY OF THE OWNER AND SHALL BE PERFORMED IN ACCORDANCE WITH THE REQUIREMENTS OF THE VIRGINIA STORMWATER MANAGEMENT HANDBOOK AND THE FAIRFAX COUNTY PUBLIC FACILITIES MANUAL.

ADEQUATE OUTFALL

AN EXISTING PIPED STORM SYSTEM IN THE VDOT ROW OF LEE HIGHWAY CONVEYS RUNOFF FROM THE SITE TO THE EAST INTO A QUADRUPLE BOX CULVERT. DOWNSTREAM OF THE CULVERT IS THE BED AND BANKS AND THE 100 YEAR FLOOD PLAIN OF AN UNNAMED TRIBUTARY OF HOLMES RUN. THE TRIBUTARY FLOWS SOUTH INTO FAIRVIEW LAKE (COUNTY RESERVOIR 2A, A REGIONAL FACILITY) WHERE IT JOINS THE MAIN STREAM OF HOLMES RUN WHICH FLOWS TO LAKE BARCROFT AND THEN THEN TO CAMERON RUN.

AN ANALYSIS OF THE EXISTING DOWNSTREAM PIPED SYSTEM ALONG LEE HIGHWAY BASED ON THE TEN YEAR STORM WILL BE PROVIDED WITH THE SITE PLAN. THE ADEQUATE OUTFALL REQUIREMENTS OF THE PUBLIC FACILITIES WILL BE MET BY ENSURING ALL STORMWATER RUNOFF LEAVING THE SITE IS ADEQUATELY CONVEYED TO THE RECEIVING STREAM (HOLMES RUN TRIBUTARY).

DRAINAGE AREA MAP





Concurrent w/ PCA 91-P-027
Application No. SE 2009-PR-021 Staff W.O.D.
APPROVED DEVELOPMENT PLAN
(DP) (GDP) (CDP) (FDP) (SE) (SP)
See proffers dated 3/3/2010; SE cond dated 2/22/2010
Date of (BOS) (PC) approval 3/9/2010

Sheet 7 of 8

SCALE: 1" = 20'
GRAPHIC SCALE

christopher consultants
engineering · surveying · land planning
9900 main street (fourth floor) Fairfax Va. 22031-3907
703.273.6820 fax 703.273.7636



BMP & SWM
COMPUTATIONS

SPECIAL EXCEPTION PLAT/
PROFFER CONDITION AMENDMENT PLAT
MERRIFALLS AUTO
CARE SERVICE
FAIRFAX COUNTY, VIRGINIA

PROJECT No: 04D804

SCALE: 1"=20'

DATE: 06-29-09

DESIGN: MA/EJ

DRAWN: EJ

CHECKED:


SHEET No.

7 of 8


C-5830



FRONT VIEW OF PROPOSED BUILDING FROM SITE ENTRANCE
OFF SERVICE DRIVE ALONG LEE HIGHWAY





FRONT VIEW OF PROPOSED BUILDING ENTRANCE FROM PROPOSED PARKING AREA



SIDE VIEW OF PROPOSED BUILDING FROM ADJACENT SHOPPING CENTER

DATE	REVISION
11.04.09	Revisions to Special Exception Plat/Proffer Condition Amendment based on Fairfax County Pre-Staffing Comments October 13, 2009
11.30.09	Revisions to Special Exception Plat/Proffer Condition Amendment based on Fairfax County comments received at Review Meeting on November 16, 2009

christopher consultants
engineering · surveying · land planning
9900 main street (fourth floor) fairfax va 22031-3907
703.273.6920 fax 703.273.7636



CONCEPTUAL
ELEVATIONS

SPECIAL EXCEPTION PLAT/
PROFFER CONDITION AMENDMENT PLAT
**MERRIFALLS AUTO
CARE SERVICE**
FAIRFAX COUNTY, VIRGINIA

PROJECT NO:	04D804
SCALE:	AS SHOWN
DATE:	06-29-09
DESIGN:	JR/MA
DRAWN:	TT
CHECKED:	

SHEET No.
8 of **8**

FOR ILLUSTRATIVE PURPOSES ONLY, WITHOUT LANDSCAPING. NOT FOR CONSTRUCTION PURPOSES.

THIS SHEET IS ONLY
CERTIFIED AS PART
OF OUR PLAN SET.